

M

ROSCA MÉTRICA GROSSA

DIN 357

REFERÊNCIA

110/1

GRUPO DE MATERIAIS

1.2.2 - 1.4.1 - 1.4.3 - 2.1.2 - 3.1.4 - 3.1.6
3.1.7 - 3.2.1 - 3.2.2 - 3.2.3 - 3.2.4 - 1.2.1

TIPO DE FURO




OSG MACHOS PARA PORCAS Canal Reto (NT)

Rosca Métrica Grossa : DIN 13. ISO 724/965.1

OSG MACHINE NUT TAPS Straight Fluted (NT)

Metric Coarse Thread : DIN 13. ISO 724/965.1



ESPECIFICAÇÃO DO PRODUTO



M DIN 13. ISO 724/965.1

D mm	P mm	A mm	B mm	C mm	F mm	Nº de Canais		PESO g
M 3	0,5	70	22	2,2	-	3	2.5	3
M 3,5	0,6	80	25	2,5	2.1	3	2.9	3
M 4	0,7	90	25	2,8	2.1	3	3.3	4
M 4,5	0,75	100	28	3,5	2.7	3	3.8	6
M 5	0,8	100	28	3,5	2,7	3	4.2	8
M 6	1	110	32	4,5	3,4	3	5.0	13
M 8	1,25	125	40	6	4,9	3	6.8	26
M 10	1,5	140	45	7	5,5	3	8.5	42
M 12	1,75	180	50	9	7	3	10.3	83
M 14	2	200	56	11	9	3	12.1	134
M 16	2	200	63	12	9	3	14.1	170
M 18	2,5	220	63	14	11	3	15.6	250
M 20	2,5	250	70	16	12	3	17.6	360
M 22	2,5	280	80	18	14,5	3	19.6	500
M 24	3	280	80	18	14,5	3	21.1	530
M 27	3	315	90	20	16	4	24.1	740
M 30	3,5	315	100	22	18	4	26.6	900

EDP


02830170
02830190
02830200
02830220
02830230
02830250
02830270
02830290
02830310
02830320
02830330
02830340
02830350
02830360
02830370
02830380
02830390

OSG MACHOS PARA PORCAS Canal Reto (NT)

Rosca Métrica Fina : DIN 13. ISO 724/965.1

OSG MACHINE NUT TAPS Straight Fluted (NT)

Metric Fine Thread : DIN 13. ISO 724/965.1



ESPECIFICAÇÃO DO PRODUTO

110/2

REFERÊNCIA

GRUPO DE
MATERIAIS

1.2.2 - 1.4.1 - 1.4.3 - 2.1.2 - 3.1.4 - 3.1.6
3.1.7 - 3.2.1 - 3.2.2 - 3.2.3 - 3.2.4 - 1.2.1

TIPO DE FURO



MF DIN 13. ISO 724/965.1

D mm	P mm	A mm	B mm	C mm	F mm	Nº de Canais	± 0.01	PESO g
M 3	0,35	70	15	2,2	-	3	2.7	3
M 3.5	0,35	80	15	2,5	2,1	3	3.2	5
M 4	0,5	90	22	2,8	2,1	3	3.5	8
M 5	0,5	100	22	3,5	2,7	3	4.5	10
M 6	0,75	110	25	4,5	3,4	3	5.3	15
M 8	0,75	125	25	6	4,9	3	7.3	25
M 8	1	125	36	6	4,9	3	7.0	29
M 10	1	140	36	7	5,5	3	9.0	43
M 12	1	180	36	9	7	3	11.0	80
M 12	1,5	180	45	9	7	3	10.5	80
M 14	1,5	200	45	11	9	3	12.5	130
M 16	1,5	200	45	12	9	3	14.5	170
M 18	1,5	220	45	14	11	3	16.5	245
M 20	1,5	250	50	16	12	3	18.5	350
M 22	1,5	280	50	18	14,5	3	20.5	470
M 24	1,5	280	50	18	14,5	3	22.5	500

EDP

02841170
02841180
02841210
02841230
02841700
02841740
02841960
02842000
02842040
02842550
02842560
02842580
02842600
02842610
02842620
02842630



UNC

DIN 356

ROSCA UNIFICADA GROSSA

REFERÊNCIA

110/3

GRUPO DE MATERIAIS

1.2.2 - 1.4.1 - 1.4.3 - 2.1.2 - 3.1.4 - 3.1.6
3.1.7 - 3.2.1 - 3.2.2 - 3.2.3 - 3.2.4 - 1.2.1

TIPO DE FURO




OSG MACHOS PARA PORCAS Canal Reto (NT)

Rosca Unificada Grossa : ASME B1.1

OSG MACHINE NUT TAPS Straight Fluted (NT)

Unified Coarse Thread : ASME B1.1



ESPECIFICAÇÃO DO PRODUTO



UNC ASME B1.1

D" in	N/1"	D mm	A mm	B mm	C mm	F mm	Nº de Canais		PESO g
1/4	20	6,350	110	36	4.5	3.4	3	5.2	16
5/16	18	7,938	125	40	6.0	4.9	3	6.7	30
3/8	16	9,525	140	45	7.0	5.5	3	8.1	45
7/16	14	11,113	160	45	8.0	6.2	3	9.5	80
1/2	13	12,700	180	50	9.0	7.0	3	10.9	85
9/16	12	14,288	200	56	11.0	9.0	3	12.4	110
5/8	11	15,875	220	63	12.0	9.0	3	13.8	125
3/4	10	19,050	250	63	14.0	11.0	3	16.8	280
7/8	9	22,225	280	70	18.0	14.5	3	19.7	520
1	8	25,400	315	90	20.0	16.0	3	22.5	710

EDP

02854100
02854110
02854120
02854130
02854140
02854150
02854160
02854170
02854180
02854190

OSG MACHOS PARA PORCAS


Canal Reto (NT)

Rosca Whitworth para Tubo : DIN 259. BS 2779. ISO 228/1


OSG MACHINE NUT TAPS

Straight Fluted (NT)


Whitworth Pipe Thread : DIN 259. BS 2779. ISO 228/1



ESPECIFICAÇÃO DO PRODUTO

REFERÊNCIA	110/6
GRUPO DE MATERIAIS	1.2.2 - 1.4.1 - 1.4.3 - 2.1.2 - 3.1.4 - 3.1.6 3.1.7 - 3.2.1 - 3.2.2 - 3.2.3 - 3.2.4 - 1.2.1
TIPO DE FURO	 <1.50



BSP (G) DIN 259. BS 2779. ISO 228/1									
D" in	N/1"	D mm	A in	B in	C in	F in	Nº de Canais		PESO g
1/8	28	9.728	140	36	7	5,5	3	8.7	40
1/4	19	13.157	200	45	11	9	3	11.6	120
3/8	19	16.662	200	45	12	9	3	15.1	170
1/2	14	20.955	250	63	16	12	3	18.9	375
5/8	14	22.911	280	63	18	14,5	3	20.8	460
3/4	14	26.441	315	63	20	16	4	24.3	700
7/8	14	30.201	315	63	22	18	4	28.1	850

EDP	
02888210	
02888220	
02888230	
02888240	
02888250	
02888260	
02888270	

MACHOS
TAPS